



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/757,587	01/15/2004	Boris Zabarski	060707-1180	4907
24504 7590 11/26/2007 THOMAS, KAYDEN, HORSTEMEYER & RISLEY, LLP 600 GALLERIA PARKWAY STE 1500 ATLANTA, GA 30339			EXAMINER DO, CHAT C	
			ART UNIT 2193	PAPER NUMBER
			MAIL DATE 11/26/2007	DELIVERY MODE PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/757,587

Applicant(s)

ZABARSKI ET AL.

Examiner

Chat C. Do

Art Unit

2193

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 10 September 2007.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-6, 13-24 and 32-38 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-6, 13-24, and 32-38 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____

DETAILED ACTION

1. This communication is responsive to Amendment filed 09/10/2007.
2. Claims 1-6, 13-24, and 32-38 are pending in this application. Claims 1, 13, 17, 20, 32, and 36 are independent claims. In Amendment, claims 7-12 and 25-31 are either currently or previously cancelled. This Office Action is made final.

Claim Rejections - 35 USC § 101

3. 35 U.S.C. 101 reads as follows:

Whoever invents or discovers any new and useful process, machine, manufacture, or composition of matter, or any new and useful improvement thereof, may obtain a patent therefor, subject to the conditions and requirements of this title.

4. Claims 1-6, 13-16, 20-24, and 32-35 are rejected under 35 U.S.C. 101 because the claimed invention is directed to non-statutory subject matter.

Claims 1-6, 13-16, 20-24, and 32-35 cite a processor and method for determining a minimum/maximum value among values in accordance with a mathematical algorithm.

In order for claims to be statutory, claims must either include a practical/physical application or a concrete, useful, and tangible result. However, claims 1-6, 13-16, 20-24, and 32-35 merely disclose steps/components for determining minimum/maximum value without further disclosing a practical/physical application or a useful and tangible result since the claims appear to preempt every substantial practical application of the idea embodied by the claim and there is no cited limitation in the claims that breathes sufficient life and meaning into the preamble so as to limit it to a particular practical

application rather than being so broad and sweeping as to cover every substantial practical application of the idea embodied therein. Therefore, claims 1-6, 13-16, 20-24, and 32-35 are directed to non-statutory subject matter.

Claim Rejections - 35 USC § 102

5. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

6. Claims 1-6, 13-15, 20-24, and 32-34 are rejected under 35 U.S.C. 102(b) as being anticipated by Okumura et al. (U.S. 5,726,923).

Re claim 1, Okumura et al. disclose in Figures 1-9 a processor (e.g. architecture is seen in Figure 1) for determining a minimum value of a plurality of values stored in source registers (e.g. data field 11a in Figure 2 is stored the minimum value from either source registers 6 or 11 in Figure 1) and determining an index value of a source register having the minimum value (e.g. index field 11b in Figure 2), the processor comprising: a destination register (e.g. specific register 11 in Figure 1); a first source register storing a first value (e.g. register 11 in Figure 1), wherein the first source register comprises S bits, and wherein the first value comprises N lower bits of the first source register (e.g. Figure 2 wherein the index field is on the upper higher bit); a second source register storing a second value (e.g. registers 5-6 in Figure 1), wherein the second source register comprises S bits, and wherein the second value comprises N lower bits of the second

source register (e.g. Figure 2 wherein the index filed is on the upper higher bit); means for comparing the first value stored in the first source register with the second value stored in the second source register (e.g. arithmetic logic unit 4 in Figure 1 as comparison unit as cited in col. 4 lines 28-40); means for storing the first value in the destination register when the first value is less than or equal to the second value (e.g. path of specific register 11 less than register 5 in Figure 3); and means for concatenating the index value with the second value into a concatenated value and storing the concatenated value in the destination register (e.g. step S9 in Figure 3 which is done by index linking circuit 10 in Figure 1) when the second value is less than the first value (e.g. path goes through S9 in Figure 3), wherein the index value is stored in an upper (S-N) bits of the concatenated value and the second value stored in the N lower bits of the concatenated value (e.g. Figure 2 wherein the index filed is on the upper higher bits).

Re claim 2, Okumura et al. further disclose in Figures 1-9 the means for comparing, the means for storing and the means for concatenating are adapted to execute sequentially within one processor cycle (e.g. col. 4 lines 45-50 and col. 5 lines 65-68).

Re claim 3, Okumura et al. further disclose in Figures 1-9 the first source register and the destination register comprise a same register (e.g. specific register 11 in Figure 1).

Re claim 4, Okumura et al. further disclose in Figures 1-9 the second source register and the destination register comprise a same register (e.g. reversed the register 11 in Figure 1).

Re claim 5, Okumura et al. further disclose in Figures 1-9 the first value is stored in N low-order bits of the first source register and the second value is stored in N low-order bits of the second register, N being an integer value (e.g. wherein N is the size of registers 5-6 and 11 for storing the data values in Figure 1).

Re claim 6, Okumura et al. further disclose in Figures 1-9 the first source register and the second source register each include an active status bit to indicate a status of the respective register, and wherein a value of a register having an active status is less than a value of a register having an inactive status (e.g. Figure 1 with the index field wherein the index field is either exist or non-exist with the data value to indicate the minimum value within values).

Re claim 13, Okumura et al. disclose in Figures 1-9 a method for determining a minimum value and a corresponding index value of a plurality of source registers of a processor (e.g. abstract and general architecture is seen in Figure 1), the method comprising the steps of: for each of the plurality of source registers (e.g. registers in memory 1, register 5, and specific registers 11x in Figure 4), comparing a value stored in the source register with a value stored in a destination register (e.g. col. 6 lines 1-20); concatenating the value stored in the source register with an index value associated with the source register and storing the concatenated value in the destination register when the value stored in the source register is less than the value stored in the destination register (e.g. step S9 in Figure 3); and wherein the destination register initially includes an index value and a value of a first source register of the plurality of source registers (e.g. Figure 2 as general data structure of each specific registers 11x in Figure 4 as repeated loop).

Re claim 14, Okumura et al. further disclose in Figures 1-9 the steps of comparing, concatenating, and storing are implemented by a single processor instruction (e.g. col. 4 lines 45-50 and col. 5 lines 65-68).

Re claim 15, it has similar limitations cited in claim 2. Thus, claim 15 is also rejected under the same rationale as cited in the rejection of rejected claim 2.

Re claim 20, Okumura et al. disclose in Figures 1-9 a processor for determining a maximum value of a plurality of values stored in source registers (e.g. col. 5 lines 38-42) and determining an index value of a source register having the maximum value (e.g. index field in Figure 2), the processor comprising: a destination register (e.g. specific register 11 in Figure 1); a first source register storing a first value (e.g. register 11 in Figure 1); a second source register storing a second value (e.g. registers 5-6 in Figure 1); means for comparing the first value stored in the first source register with the second value stored in the second source register (e.g. done by the arithmetic logic unit 4 in Figure 1), wherein the first source register and the second source register each include an active status bit to indicate a status of the respective register, and wherein a value of a register having an active status is less than a value of a register having an inactive status (e.g. Figure 1 with the index field wherein the index field is either exist or non-exist with the data value to indicate the minimum value within values); means for storing the first value in the destination register when the first value is greater than or equal to the second value (e.g. path loop in Figure 3); and means for concatenating the index value with the second value into a concatenated value (e.g. path of S9 in Figure 3) and storing the

concatenated value in the destination register when the second value is greater than the first value (e.g. col. 5 lines 38-50).

Re claim 21, it has similar limitations cited in claim 2. Thus, claim 21 is also rejected under the same rationale as cited in the rejection of rejected claim 2.

Re claim 22, it has similar limitations cited in claim 3. Thus, claim 22 is also rejected under the same rationale as cited in the rejection of rejected claim 3.

Re claim 23, it has similar limitations cited in claim 4. Thus, claim 23 is also rejected under the same rationale as cited in the rejection of rejected claim 4.

Re claim 24, it has similar limitations cited in claim 5. Thus, claim 24 is also rejected under the same rationale as cited in the rejection of rejected claim 5.

Re claim 32, it has similar limitations cited in claim 13 and further Okumura et al. disclose in Figures 1-9 the same architecture can be used/implemented to perform maximum detection in same manner as minimum detection (e.g. col. 5 lines 38-51). Thus, claim 32 is also rejected under the same rationale as cited in the rejection of rejected claim 13.

Re claim 33, it has similar limitations cited in claim 14. Thus, claim 33 is also rejected under the same rationale as cited in the rejection of rejected claim 14.

Re claim 34, it has similar limitations cited in claim 15. Thus, claim 34 is also rejected under the same rationale as cited in the rejection of rejected claim 15.

Claim Rejections - 35 USC § 103

7. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

8. Claims 16-19 and 35-38 are rejected under 35 U.S.C. 103(a) as being unpatentable over Okumura et al. (U.S. 5,726,923) in view of the admitted prior art.

Re claim 16, Okumura et al. fail to disclose in Figures 1-9 each of the plurality of values represents a due timestamp of a corresponding input queue for implementing Weighted Fair Queuing. However, the admitted prior art discloses each of the plurality of values represents a due timestamp of a corresponding input queue for implementing Weighted Fair Queuing (e.g. page 2 lines 1-26). Therefore, it would have been obvious to a person having ordinary skill in the art at the time the invention is made to add each of the plurality of values represents a due timestamp of a corresponding input queue for implementing Weighted Fair Queuing as seen in the admitted prior art into the Okumura et al.'s invention because it would enable to process the data in prioritization for used in network processor (e.g. page 2 lines 1-5 and lines 14-18).

Re claim 17, Okumura et al. disclose in Figures 1-9 a customer premise equipment (e.g. Figure 1 as general architecture) comprising: and a processor operably connected to the interfaces and being adapted to (e.g. for getting data into memory 1 in Figure 1): compare (e.g. by arithmetic logic unit 4 in Figure 1) a first value stored in a first source register of the processor (e.g. specific register 11 in Figure 1) with a second

value stored in a second source register of the processor (e.g. registers 5-6 in Figure 1); store the first value in a first destination register of the processor when the first value is less than or equal to the second value (e.g. path when the specific register 11 is less than register 5 in Figure 3); and store the second value in the first destination register of the processor (e.g. value in register 6 in Figure 1) and an index value in a second destination register of the processor (e.g. corresponding index value of register 6 in Figure 1) when the second value is less than the first value (e.g. step S9 in Figure 3), the index value representing the second source register (e.g. Figure 2). Okumura et al. fail to disclose a network interface operably connected to a first network segment and a network interface operably connected to a second network segment. However, the admitted prior art disclose the general architecture of processor operation in network (e.g. pages 1-2) in which a network interface operably connected to a first network segment a network interface operably connected to a second network segment are standard and well-known. Therefore, it would have been obvious to a person having ordinary skill in the art at the time the invention is made to add the a network interface operably connected to a first network segment and a network interface operably connected to a second network segment as seen logically in the admitted prior art into Okumura et al.'s invention because it would enable to process data over the network (e.g. page 2 lines 1-26).

Re claim 18, it has similar limitations cited in claim 2. Thus, claim 18 is also rejected under the same rationale as cited in the rejection of rejected claim 2.

Re claim 19, it has similar limitations cited in claim 16. Thus, claim 19 is also rejected under the same rationale as cited in the rejection of rejected claim 16.

Re claim 35, it has similar limitations cited in claim 16. Thus, claim 35 is also rejected under the same rationale as cited in the rejection of rejected claim 16.

Re claim 36, it has similar limitations cited in claim 17 and further Okumura et al. disclose in Figures 1-9 the same architecture can be used/implemented to perform maximum detection in same manner as minimum detection (e.g. col. 5 lines 38-51). Thus, claim 36 is also rejected under the same rationale as cited in the rejection of rejected claim 17.

Re claim 37, it has similar limitations cited in claim 18. Thus, claim 37 is also rejected under the same rationale as cited in the rejection of rejected claim 18.

Re claim 38, it has similar limitations cited in claim 19. Thus, claim 38 is also rejected under the same rationale as cited in the rejection of rejected claim 19.

Response to Arguments

9. Applicant's arguments filed 09/10/2007 have been fully considered but they are not persuasive.

a. The applicant argues in page 11 for claims rejected under 35 U.S.C. 101 that the application does disclose the practical application as discussed in the background section. In addition, the applicant attempts to compare the current claims with the cited previous patent claims, which the claims are directed to a minimum/maximum data detector.

The examiner respectfully submits that the claims, themselves, do not disclose a practical application, which leads to preemption of every single practical application. Further, the applicant does not appropriately compare the current

application with previous patent dated back 1998. In general, the claims do not disclose a practical application or useful, tangible result which leads to preemption.

- b. The applicant argues in pages 13-14 for claim 1 that the cited reference by Okumura et al. fails to disclose the amended limitation which requires the index on the upper portion or bits of the registers wherein the cited reference teaches the index field is located in the lower figures of the numeric data filed as seen in Figure 2.

The examiner respectfully submits that the amended features of claim 1 are either clearly or expressively seen in the cited preference by Okumura et al., except the location of index field. Even though the index field is generally drawn in the lower figures of the numeric data field as seen in Figure 2, but nowhere in the specification of the cited reference requires the index field must stay on least significant bits of the register. It is just a design choice of specific application as where to place the index field within the register, having a left most or right most index field respect with the numeric data field within the register would not really affect the result.

- c. The applicant argues in pages 15-16 for claim 13 that the cited reference by Okumura et al. fails to disclose the limitation "destination register initially includes an index value and a value of a first source register of the plurality of source registers" wherein the cited reference discloses the initially value is 0X7FFF.

The examiner respectfully submits that the limitation of the claim does not require a specific value of the index value and value of first source register. Thus, the initially value 0x7FFF is an arbitrary number representing the index value and the value of the first source register. In addition, the previous loop computation can also be the initial value of the current loop computation.

- d. The applicant argues in pages 17-18 for claim 20 that the cited reference by Okumura et al. fails to disclose the status bit in each register having active when greater.

The examiner respectfully submits that the index field is either exist or non-exist depending on whether the value is minimum or maximum. Thus, when the index field, it indicates the corresponding data value is maximum or minimum depending on the current comparison.

- e. The applicant similarly argues in page 19 for claim 32 that the cited reference by Okumura et al. fails to disclose the limitation “destination register initially includes an index value and a value of a first source register of the plurality of source registers” wherein the cited reference discloses the initially value is 0X7FFF.

The examiner respectfully submits that the limitation of the claim does not require a specific value of the index value and value of first source register. Thus, the initially value 0x7FFF is an arbitrary number representing the index value and the value of the first source register. In addition, the previous loop computation can also be the initial value of the current loop computation.

f. The applicant argues in pages 20-21 for claim 17 that the cited reference by Okumura et al. fails to disclose the limitation “store the second value in the first destination register of the processor and an index value in a second destination register of the processor when the second value is less than the first value, the index value representing the second source register.

The examiner respectfully submits that this limitations are clearly seen in Figures 1-3 wherein Figure 3 discloses a comparison of less than expression and Figure 2 clearly discloses the numeric data field and the index field. Basically, the result of comparison is saved/stored in the numeric data field called the first destination register of the processor and the index value of corresponding result is saved/stored in the index field called the second destination register of the processor.

g. The applicant similarly argues in pages 22-23 for claim 36 that that the cited reference by Okumura et al. fails to disclose the limitation “store the second value in the first destination register of the processor and an index value in a second destination register of the processor when the second value is less than the first value, the index value representing the second source register.

The examiner respectfully submits that this limitations are clearly seen in Figures 1-3 wherein Figure 3 discloses a comparison of less than expression and Figure 2 clearly discloses the numeric data field and the index field. Basically, the result

Art Unit: 2193

of comparison is saved/stored in the numeric data field called the first destination register of the processor and the index value of corresponding result is saved/stored in the index field called the second destination register of the processor.

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

U.S. Patent No. 5,787,407 to Viot discloses a data processing system for evaluating fuzzy logic rules and method therefor.

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the mailing date of this final action.

Art Unit: 2193


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Chat C. Do whose telephone number is (571) 272-3721. The examiner can normally be reached on M => F from 7:00 AM to 5:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Meng-Ai An can be reached on (571) 272-3756. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Chat C. Do
Examiner
Art Unit 2193

November 19, 2007

A handwritten signature in black ink, appearing to be 'Chat C. Do', written in a cursive style.